CARBOHYDRATE RESEARCH VOL. 209 (1991)

AUTHOR INDEX

Baer, H. H., 181
Basu, M., 261
Bellver, C., 279
Bender, H., 145
Beynon, L. M., 211, 225
Bianchi, E., 251
Bock, K., 51
Brasch, D. J., 191
Breton, R. L., 181

Calle, P., 1
Conio, G., 251
Cosani, A., 251

Das, K. K., 261
Dayal-Drager, R., c5
Decrind, C., c5
Dehmel, K., 89
Del Guidice, G., c5
Dell, A., 33
Ding, Y., 306
Duus, J. Ø., 51

Faleschini, P., 203
Fernández de la Pradilla, R., 296
Fernandez-Bolaños Guzmán, J., 51, 279
Frick, W., 101

Garcia Mendoza, P., 131, 311
Greer, F., 33

Haplová, J., 83
Hasegawa, A., c1
Hernandez Mateo, F., 131
Heusinger, H., 109
Hiyama, J., 33
Hoessli, D. C., c5

Inaba, K., 289
Ishida, H., c1

Jaramillo, C., 296

Kameyama, A., c1
Kéry, V., 83
Khan, F. A., 261
Kiso, M., c1
Kneissl, G., 89
Knödler, U., 89
Kolar, C., 89
Koufaki, M., 299
Kučár, Š., 83

Lambert, P.-H., c5
Lindhorst, T. K., 119
Liu, Y., 306
López-Castro, A., 279, 285

Marsano, E., 251
Martín-Lomas, M., 296
Matulová, M., 83
Melton, L. D., 191
Molina Molina, J., 155
Moreau, M., 225
Moreno, E., 285
Morris, H. R., 33

Nasir-ud-Din, c5
Nitta, Y., 167

Oddon, Y., 67
Ogawa, S., 51
Osanai, S., 289
Oxley, D., 319

Pavia, A. A., 67
Pépe, G., 67
Perez-Garrido, S., 285
Perry, M. B., 211, 225

Reboul, J.-P., 67
Redfern, J. M., 33
Redgwell, R. J., 191
Renwick, A. G. C., 33
Richards, J. C., 211, 225
Rogers, M. E., 33

Sanchez, A., 1
Santoyo Gonzalez, F., 131, 155, 311
Schmidt, R. R., 101
Serianni, A. S., 13
Shimono, Y., 167
Sieiro, C., 1
Siri, D., 67
Smith, E., 239
Steeneken, P. A. M., 239

Takeo, K., 167

Teramoto, Y., 167
Terbojevich, M., 251
Thiem, J., 119
Tronchet, J. M. J., 299

Vargas Berenguel, A., 131, 155, 311
Vuorinen, T., 13

Weisshaar, G., 33
Wilkinson, S. G., 319

Yokoi, S., 51
Yoshikawa, S., 289

Zevenhuizen, L. P. T., 203
Zhang, B.-J., 261
Zosimo-Landolfo, G., 299

CARBOHYDRATE RESEARCH VOL. 209 (1991)

SUBJECT INDEX

N-Acetyl-D-glucosaminyltransferases from human colon carcinoma cells, biosynthesis of lactoglycosphingolipids by, 261
Actinobacillus pleuropneumoniae serotype 7, structure of the capsular polysaccharide from, 211
Actinobacillus pleuropneumoniae serotype 7, structure of the *O*-antigen polysaccharide of, 225
Aldose epimerization by Ni(II): effect of ether-containing alkylenediamine ligands, 289
Alkaline degradation of monosaccharides in methyl sulfoxide, a study by e.s.r. spectroscopy, 1
Alkyl [(alkyl 6-deoxy-α-D-*gluco*-heptopyranosyluronate) 6-deoxy-α-D-*gluco*-heptopyranosid]uronates, a novel type of mirror cord factor, synthesis of, 181
3-Amino-3,6-dideoxy-α-L-hexopyranosides branched at C-3, synthesis of methyl, 311
3-Amino sugar derivatives, application of the Hofmann rearrangement in the synthesis of, 131
1D-1,2-Anhydro-*myo*-inositol, synthesis of, 296
O-Antigen polysaccharide of *Actinobacillus pleuropneumoniae* serotype 7, structure of the, 225
Antigenic determinants of human glycophorin A_M and A_N, differentiation of the structural features of the T_N and T, in relation to their specificity, 67

Bergenin-type *C*-glucosylarenes, synthesis of, 101
Boat–chair equilibrium in the glucuronate residue of chondrosine, evidence for a, c13
3-*tert*-Butoxycarbonylamino-3-cyano-3-deoxy and 3-acetamidomethyl-3-*tert*-butoxycarbonylamino-3-deoxy sugars, preparation of some, 131

Cell-wall polysaccharides of kiwifruit (*Actinidia deliciosa*): effect of ripening on the structural features of cell-wall materials, 191
Chain rigidity of chitosan, and mesophase formation, 251
Chitosan, chain rigidity and mesophase formation, 251
Chondrosine, evidence for a boat–chair equilibrium in the glucuronate residue of, c13
Conformational analysis of the amino termini (5 residues) of human glycophorin A_M and A_N: differentiation of the structural features of the T_N and T antigenic determinants in relation to their specificity, 67
Conformational study of eight pseudo-trehaloses, an n.m.r. spectroscopic and, 51
Cord factor, synthesis of alkyl [(alkyl 6-deoxy-α-D-*gluco*-heptopyranosyluronate) 6-deoxy-α-D-*gluco*-heptopyranosid]uronates, a novel type of mirror pseudo, 181
Crystal and molecular structure of 1,3-dihydro-4-(3,4-*O*-isopropylidene-D-*arabino*-tetritol-1-yl)-3-methyl-1-*p*-tolyl-2*H*-imidazole-2-thione, 279
Cyclodextrin glycosyltransferase, chemical modification of histidine residues with diethyl pyrocarbonate, 145

4-Deoxy and 4-deoxy-4-halogeno derivatives of L-fucose, synthesis as potential enzyme inhibitors, 119
Diethyl pyrocarbonate, chemical modification of histidine residues in cyclodextrin glycosyltransferase with, 145
1,3-Dihydro-4-(3,4-*O*-isopropylidene-D-*arabino*-tetritol-1-yl)-3-methyl-1-*p*-tolyl-2*H*-imidazole-2-thione, crystal and molecular structure of, 279
1,6-Dioxa-3-azaspiro[4.5]decane, X-ray structure of (5*S*, 8*R*, 9*R*, 10*S*)-8,9,10-triacetoxy-3-acetyl, 285
Dissaccharide derivatives, immobilisation of β-D-galactosidase from *Escherichia coli* on cellulose beads and its use for the synthesis of, 83

Effect of ether-containing alkylenediamine ligands, aldose epimerization by Ni(II), 289
Effect of the concentration of sodium chloride in the medium on the relative proportions of poly- and oligo-saccharides excreted by *Rhizobium meliloti* strain YE-2SL, 203
Efficient synthesis of 2,4-dideoxy-4-hydroxyphosphinyl-D-*erythro*-pentofuranose, an, c9
Epimerization by Ni(II): effect of ether-containing alkylenediamine ligands on aldose, 289
E.s.r. spectroscopy, a study of the alkaline degradation of monosaccharides by, 1

Fast-atom-bombardment mass spectrometry of sulphated oligosaccharides from ovine lutropin, 33

L-Fucose, synthesis of 4-deoxy and 4-deoxy-4-halogeno derivatives of, as potential enzyme inhibitors, 119

β-D-Galactosidase from *Escherichia coli*, immobilisation on cellulose beads and use for the synthesis of disaccharide derivatives, 83
Gel-permeation chromatography of solutions of D-glucose after irradiation by ultrasound and γ-rays, 109
Glucorhamnan from the lipopolysaccharide of *Serratia marcescens* strain S1254, structure of a, 319
D-Glucose, gel-permeation chromatography of solutions of, after irradiation by ultrasound and γ-rays, 109
C-Glucosylarenes, synthesis of bergenin-type, 101
Glucuronate residue of chondrosine, evidence for a boat–chair equilibrium in the, C13
Glycolipids, *lacto*-, biosynthesis by *N*-acetyl-D-glucosaminyltransferases from human colon carcinoma cells, 261
Glycophorin A_M and A_N, conformational analysis of the amino termini (5 residues) of human, 67
O-Glycosylated glycoproteins in the *Plasmodium falciparum* parasite, C5
Glycosylation variant and modification reactions of ε-(iso)rhodomycins, a new, 89

Heptoseptanosides, synthesis of methyl 3-deoxy-3-nitro-, 155
Histidine residues in cyclodextrin glycosyltransferase, chemical modification with diethyl pyrocarbonate, 145
Hofmann rearrangement in the synthesis of 3-amino sugar derivatives, application of the, 131
N-Hydroxyimino groups and nitroxyl free radicals thereof, spacer arms bearing two, 299

Immobilisation of β-D-galactosidase from *Escherichia coli* on cellulose beads and its use for the synthesis of disaccharide derivatives, 83
myo-Inositol, synthesis of 1D-1,2-anhydro-, 296
Irradiation of solutions of D-glucose by ultrasound and γ-rays, gel-permeation chromatography of the products, 109

Kiwifruit (*Actinidia deliciosa*), effect of ripening on the structural features of cell-wall materials, 191
Lacto-glycolipids, biosynthesis by *N*-acetyl-D-glucosaminyltransferases from human colon carcinoma cells, 261
Lewis X, sialyl, total synthesis, C1
Lipopolysaccharide of *Serratia marcescens* strain S1254, structure of a glucorhamnan from the, 319

Mass spectrometry of sulphated oligosaccharides from ovine lutropin, fast-atom-bombardment, 33
Mesophase formation by chitosan, and chain rigidity, 251
Methyl 3-amino- 3,6-dideoxy-α-L-hexopyranosides branched at C-3, synthesis of, 311
Methyl 3-deoxy-3-nitroheptoseptanosides, synthesis of, 155
Methylation of starch, topochemical effects in the, 239
Molecular and crystal structure of 1, 3-dihydro-4-(3,4-*O*-isopropylidene-D-*arabino*-tetritol-1-yl)-3-methyl-1-*p*-tolyl-2*H*-imidazole-2-thione, 279
Monosaccharides, a study by e.s.r. spectroscopy of alkaline degradation in methyl sulfoxide, 1

Nitroxyl free radicals, spacer arms bearing two *N*-hydroxyimino groups and derived, 299
N.m.r. spectroscopic and conformational study of eight pseudo-trehaloses, 51

Oligosaccharides from ovine lutropin, fast-atom-bombardment mass spectrometry of sulphated, 33
Oligosaccharides α-D-Glc*p*-(1→4)-D-Xyl*p*, α-D-Xyl*p*-(1→4)-D-Glc*p*, α-D-Glc*p*-(1→4)-α-D-Glc*p*-(1→4)-D-Xyl*p*, α-D-Glc*p*-(1→4)-α-D-Xyl*p*-(1→4)-D-Glc*p*, and α-D-Xyl*p*-(1→4)-α-D-Glc*p*-(1→4)-D-Glc*p*, synthesis of the, 167

Parasite, *Plasmodium falciparum*, presence of *O*-glycosylated glycoproteins in, C5
D-*erythro*-2-Pentulose and D-threo-2-pentulose, synthesis, and analysis of the ^{13}C- and ^{1}H-n.m.r. spectra of the 1-^{13}C- and 2-^{13}C-substituted sugars, 13
Phosphinyl-D-*erythro*-pentofuranose, an efficient synthesis of 2,4-dideoxy-4-hydroxy, C9
Plasmodium falciparum parasite, presence of *O*-glycosylated glycoproteins in, C5
Poly- and oligo-saccharides excreted by *Rhizobium meliloti* strain YE-2SL, effect of the concentration of sodium chloride in the medium on the relative proportions of, 203
Polysaccharide from *Actinobacillus pleuropneumoniae* serotype 7, structure of the capsular, 211
Polysaccharides of kiwifruit (*Actinidia deliciosa*), effect of ripening on the structural features of cell-wall, 191
Pseudo-trehaloses, an n.m.r. spectroscopic and conformational study of eight, 51

Rhizobium meliloti strain YE-2SL, effect of the concentration of sodium chloride in the medi-

um on the relative proportions of poly- and oligo-saccharides excreted by, 203
ε-(Iso)rhodomycins, a new glycosylation variant and modification reactions, 89
Semisynthetic ε-(iso-)rhodomycins: a new glycosylation variant and modification reactions, 89
Serratia marcescens strain S1254, structure of a glucorhamnan from the lipopolysaccharide of, 319
Sialyl Lewis X, total synthesis, c1
Spacer arms bearing two *N*-hydroxyimino groups and nitroxyl free radicals thereof, 299
Spiropyranose derivative, X-ray structure of a, 285
Starch, topochemical effects in the methylation of, 239
Stereoselective syntheses of acetylated *o*-tolyl 1-thioglycosides, 306
Structure of the capsular polysaccharide from *Actinobacillus pleuropneumoniae* serotype 7, 211
Structure of the *O*-antigen of *Actinobacillus pleuropneumoniae* serotype 7 lipopolysaccharide, 225
Synthesis of alkyl [(alkyl 6-deoxy-α-D-*gluco*-heptopyranosyluronate) 6-deoxy-α-D-*gluco*-heptopyranosid]uronates, a novel type of mirror pseudo cord factor, 181
Synthesis of 1D-1,2-anhydro-*myo*-inositol, 296
Synthesis of 2,4-dideoxy-4-hydroxyphosphinyl-D-*erythro*-pentofuranose, an efficient, c9
Synthesis of bergenin-type *C*-glucosylarenes, 101
Synthesis of 4-deoxy and 4-deoxy-4-halogeno derivatives of L-fucose as potential enzyme inhibitors, 119
Synthesis of methyl 3-amino-3,6-dideoxy-α-L-hexopyranosides branched at C-3, 311
Synthesis of methyl 3-deoxy-3-nitroheptoseptanosides, 155
Synthesis of the oligosaccharides α-D-Glc*p*-(1→4)-D-Xyl*p*, α-D-Xyl*p*-(1→4)-D-Glc*p*, α-D-Glc*p*-(1→4)-α-D-Glc*p*-(1→4)-D-Xyl*p*, α-D-Glc*p*-(1→4)-α-D-Xyl*p*-(1→4)-D-Glc*p*, and α-D-Xyl*p*-(1→4)-D-Glc*p*-(1→4)-D-Glc*p*, 167
1-Thioglycosides, stereoselective syntheses of acetylated *o*-tolyl, 306
o-Tolyl 1-thioglycosides, stereoselective syntheses of acetylated, 306
Topochemical effects in the methylation of starch, 239
X-ray structure of (5*S*, 8*R*, 9*R*, 10*S*)-8,9,10-triacetoxy-3-acetyl-1,6-dioxa-3-azaspiro[4.5]decane, a spiropyranose derivative, 285